
一级代理商：


深圳市弗瑞鑫电子有限公司

地址：深圳市宝安区西乡大道302号金源商务大厦B座三楼

frxelec

1.


:
:



2.

3.

4.



- 1. Anode
- 3. Cathode
- 4. GND
- 5. Vo (Output)
- 6. Vcc

5.

		~	
		~	



8.

9.







55

10.




11.







()	

12.



Shenzhen Orient Components Co., LTD

Material Code: J20PCXXXXXX

|||||

P/N: OR-XXXXXX

|||||

Lot No.: XXXXXX-XXXX-TX-X

|||||

D/C: XXXX

|||||

Qty: XXXX PCS

|||||

内箱码


外箱码

“XXXXXXXXXXXXXXXXXX” (一体机序列码)

Made in China

:

13.





14.





Figure 3. V_{OH} vs. I_{OH} .




Figure 4. V_{OL} vs. Temperature.




Figure 5. I_{OL} vs. Temperature.




Figure 6. V_{OL} vs. I_{OL} .




Figure 7. Icc vs. Temperature.




Figure 8. Icc vs. Vcc.




Figure 9. IFLH vs. Temperature.




Figure 10. Propagation Delay vs. Vcc.




Figure 11. Propagation Delay vs. If.




Figure 12. Propagation Delay vs. Temperature.




Figure 13. Propagation Delay vs Rg




Figure 14. Propagation Delay vs Cg




Figure 15. Transfer Characteristics.




Figure 16. Input Current vs. Forward Voltage.

