



Shenzhen Flourish Electronics Co., LTD

FILE NO.

QC-T4-09

Ver:

1.0

Page

1/21



SPECIFICATION FOR APPROVAL

Huizhou Jingqin Electronic Components Co., Ltd

Customer Approval

Made By Ch





Shenzhen Flourish Electronics Co.,LTD

FILE NO.

QC-T4-09

Ver:

1.0

Page

2/21

Table of Contents



Shenzhen Flourish Electronics Co.,LTD

FILE NO.

QC-T4-09

Ver:


1.0

Page

3/21

COMPONENT SPEC VERSION RECORD


VER	MINUTE OF CHANGES		

	Shenzhen Flourish Electronics Co.,LTD	FILE NO.	QC-T4-09
		Ver:	1.0
	.	Page	4/21

Features




Test Condition




①

②




	Shenzhen Flourish Electronics Co.,LTD	FILE NO.	QC-T4-09
		Ver:	1.0
	.	Page	7/21





	±	±	±	±	±	±





(Marking Explain)

Safety Certification:



CUL No E529031


CQC No: CQC22001350036

ENEC No: ENEC-04145

KC No: SU03131-22001

CB No CN57354

Structure





Shenzhen Flourish Electronics Co., LTD

FILE NO.

QC-T4-09

Ver:

1.0




Page

11/21

Specification and test method

(Temperature characteristics)



	(Vibration Resistance)				
	(Solderability of leads)				
	Deflection)				



Shenzhen Flourish Electronics Co., LTD

FILE NO.


QC-T4-09

Ver:

1.0


Page

13/21




Passive
Flammability


(Active flammability)
(Y2)



C1,2 : $1\mu\text{F}\pm 10\%$, C3 : $0.033\mu\text{F}\pm 5\%$ 10kV
 L1 to L4 : $1.5\text{mH}\pm 20\%$ 16A Rod core choke
 R : $100\Omega\pm 2\%$, Ct : $3\mu\text{F}\pm 5\%$ 10kV
 UAc : $U_R \pm 5\%$ U_R : Rated voltage
 Cx : Capacitor under test
 F : Fuse, Rated 10A
 Ut : Voltage applied to Ct





Temperature characteristic




packing description

8.1



	±	±	±	±	±	±	±	±



Welding according to the instruction

★ 回流焊接曲线





Shenzhen Flourish Electronics Co.,LTD

FILE NO.


QC-T4-09

Ver:

1.0

Page

19/21





Shenzhen Flourish Electronics Co.,LTD

FILE NO.

QC-T4-09

Ver:

1.0

Page

20/21

10.4.



!

()

()Notice(Rating)

1.

(1)

(2)

2.